

Table of contents

Preface	xiii
<i>Metallic materials and applications</i>	
Effect of the cooling rate and final cooling temperature on the microstructure of GCr15 bearing steel <i>X.D. Huo, Z.Z. Tian, L.J. Li & N.F. Liu</i>	3
Effect of different flakiness ratios of two-liquid bimetal casting on the technology and microstructure <i>Y.C. Zhu, Z.J. Wei, S.F. Rong, C.L. Ma & Y.H. Wu</i>	7
Comprehensive research of carbide indexable toll edge cutting simulation <i>F. Li</i>	11
Microstructure of plasma surface iron alloy coating reinforced by pre-coated SiC _p <i>X.D. Du, Z.L. Song, Z. Dan, J. Shen & G.F. Liu</i>	17
Characterization of Al-Mn particles in Mg-6Al-xMn magnesium alloys <i>L. Zhang, Z. Wu & J.H. Wang</i>	23
Structure, hydrogen storage properties and thermal stability of Mg ₉₀ (RE _{0.25} Ni _{0.75}) ₁₀ alloys <i>J.J. Li, Z.M. Wang, P. Lv, P. Liu, J.Q. Deng & Q.R. Yao</i>	29
Precipitation behavior of MnS inclusion for high-speed wheel steel during the solidification process <i>Y. Tang</i>	35
Mechanism research on the formation and control of MnS inclusion in heavy rail steel <i>H.G. Li, T.M. Chen & L. Chen</i>	39
Methodology of the fatigue test for the partial component of the railway vehicle's carbody <i>Z.Z. Wang & X.W. Wu</i>	43
Iron slag as a flame retardant for flexible Poly(Vinyl Chloride) <i>M. Gao, H. Wang, Y.H. Wang & C.B. Guo</i>	49
Research on dissimilar metal fusion welding-brazing of titanium alloy and aluminum alloy <i>H. Li & J.J. Dai</i>	53
Analyzing the structure strength of tracked vehicles' wheel box based on the virtual prototyping technology <i>F. Yang, Q.G. Shang & X. Jin</i>	57
Characterization of precipitate phases in a Mg-Gd-Y-Nd-Zr alloy <i>J.C. Xiong, Z.W. Du, T. Li, X.L. Han, Y.J. Li, X.G. Li & K. Zhang</i>	63
Molecular dynamics simulation of the crack propagation of aluminum with void under various conditions <i>P. Chen, X.B. Liu & Z. Fang</i>	69
Effects of the ytterbium modification on the microstructure and mechanical properties of the Mg-3Al-1Si magnesium alloy <i>X.L. Wei, K. Jia, L. Li, W.B. Yu & H.Z. Zhao</i>	73

Surface characteristics of TiN, TiAlN and AlCrN coated tungsten carbide <i>P. Jaritngam, C. Dumkum & V. Tangwarodomnukun</i>	81
Influence of V and N addition on the microstructure and properties of low-alloy steel containing 1% chromium <i>X.M. Dong, Z.H. Zhang & Y.X. Chen</i>	85
Effect of heat treatment on the banded structure of a hot-rolled 30CrMo steel <i>M. Wang, G. Xu, Y. Zhang & L. Wang</i>	91
Effect of Ti content on microstructures and Charpy impact properties in the Coarse-Grained Heat-Affected Zones of HSLA steels <i>X. Luo, Z.D. Wang, H. Tang, J. Cai, K.X. Chen & X.H. Chen</i>	95
Adsorption kinetics of soil-exchangeable Zn and Mn by Fe–Al binary oxide <i>Y.L. Dong</i>	101
Effect of sand-blasted treatment on the oxidation resistance of TP347 stainless steel in high-temperature water vapor <i>J.W. Chen, Z. Jiang, H. Mu, C. Luo, H.D. Liu & B. Yang</i>	105
Investigation on the magnetic properties of heat-resistant steels and oxides <i>J.W. Chen, Z. Jiang, H. Mu, Q. Wan, H.D. Liu & B. Yang</i>	111
<i>Chemical materials</i>	
High-performance UV-cure polyurethane acrylate for UV transparent insulation inks <i>J.J. Huang, X.C. Zhang, J.T. Liang, Y.C. Feng, W.J. Zhao & Z.H. Yang</i>	117
Fluorescence reabsorption analysis on the laser cooling of Er ³⁺ -doped fluoroindate glass <i>Y.H. Jia, B. Zhong & J.P. Yin</i>	123
The first-principle study of structures and properties of Cu _{n+1} , PbCu _n (n = 1–8) clusters <i>L.T. Sun, C.P. Fu, M. Huang & C.Z. Guo</i>	127
Research on the influence of species and diameters of the filler on the thermal conductivities of silicone potting glue <i>J.Y. He, Q. Wang, X.C. Ye, R.Y. Wang, X. Tang, L.C. He & H. He</i>	133
Double functional polystyrene beads <i>X.D. Duan, W.H. Sun, Y.H. Zhang, L.G. Sun & D.M. Zhao</i>	137
Preparation of quaternized cationic waterborne polyurethane and its fixative performance on reactive dyes <i>M.Y. Zhang, J.Q. Liu & H. Quan</i>	141
Effect of unvulcanized polar graft-modified rubbers on mechanical and thermal properties of Polypropylene <i>X. Li & H.T. Liu</i>	145
Properties of medical grade Polypropylene and its as-spun filament <i>F.Q. Li, X.H. Liu & H.T. Liu</i>	151
Phenolic Foam modified with butadiene-acrylonitrile rubber as a toughening agent <i>M. Gao, Z.H. Chai, Y.H. Wang & C.B. Guo</i>	155
Study on the main affecting factors of the fire-retardant retention on the bamboo bundles of a fire-retardant bamboo scrimber <i>C.G. Du, J.G. Wei & C.D. Jin</i>	159
Electrochemical properties of rod-like liquid crystalline molecules based on aromatic aldehyde <i>M.Y. Zheng, Y.S. Wei, W. Geng & Y.Z. Gu</i>	163
Synthesis and crystal structure of ethyl 2-(salicylylideneamino)-4,5,6,7-tetrahydrobenzo[b]thiophene-3-carboxylate <i>H. Gao, J. Fu & X.J. Song</i>	167

Magnesium olivine sand as a flame retardant for flexible Poly(Vinyl Chloride) <i>X.J. Ren, Z.H. Chai, C.G. Song & M. Gao</i>	171
Preparation of a non-ionic polyacrylamide-grafted starch flocculant and its application in the treatment of coal slurry waste water <i>Y.J. Sun, Y.L. Yang, F. Zhen & T.J. Zhang</i>	175
Preparation of a cationic polyacrylamide-grafted starch flocculant and its application <i>Y.J. Sun, Y.L. Yang & Q.L. Xu</i>	179
Epoxy resins treated with manganese-containing compounds <i>Y.L. Yang, C.B. Guo & M. Gao</i>	185
Chitosan/polyvinylpyrrolidone hydrogels for cimetidine release <i>X.J. Li, Z.D. Zhou, Y. Huang & G.Y. Li</i>	191
Preparation and characterization of a novel desulfurizer, $\text{Co}_3\text{O}_4/\gamma\text{-Al}_2\text{O}_3$ -attapulgite, and its optimization for the removal of SO_2 <i>T. Zhang, J.Q. Li, Y.N. Wei & M. Ye</i>	197
<i>Electronic materials</i>	
Electronic and optical properties of quasi-2D BCN_2 <i>L.N. Jiao, C.M. Li, F. Li, J.P. Wang & Z.Q. Chen</i>	205
Magnetic effect on electron spin with both hyperfine interaction and spin-orbit coupling <i>J.Q. Zhao, T. Wang, L. Y. Li, S.D. Zhuang, J.H. Mao & H.L. Wang</i>	211
Enhanced performance of HIZO Thin-Film Transistors by using a high- κ HfTaO gate dielectric <i>P. Xu & H.-J. Wang</i>	215
Cathodoluminescence and photoluminescence properties of Eu-doped $\text{Ba}_3\text{Si}_6\text{O}_{12}\text{N}_2$ green phosphors by microwave sintering <i>B. Han, Y.F. Wang, Q. Liu & Q. Huang</i>	221
Influence of Mn doping on dielectric loss of La/Ca Co-doped BaTiO_3 ceramic with dielectric-temperature stability <i>D.Y. Lu, Q.Y. Zhang, T.T. Liu, Y.Y. Peng, X.Y. Yu, Q. Cai & X.Y. Sun</i>	227
Electronic structure and power factor of Na_xCoO_2 from first-principles calculation <i>P.X. Lu & X.M. Wang</i>	233
Electrodeposition of nickel under the conditions of applied magnetic field and no forced-convection <i>X.D. Zhang & P.M. Ming</i>	239
Synthesis and characterization of core-shell ion-imprinted polymers by the surface imprinting technology for selective separation lead ions from the aqueous solution <i>G.X. Zhong, W.L. Guo, Y. Xu, L.L. Zhang & Y. Chen</i>	243
Low electrolyte dyeing technology with reactive dyes <i>X.P. Zeng</i>	247
Photon-assistant transport properties of coupled Quantum Dots <i>Y.R. Ma, Y.J. Liu, R. Niu & Y.R. Huang</i>	251
Research on a new oxide-scale detection technique based on magnetic induction <i>J.W. Chen, Z. Jiang, H. Mu, H.D. Liu, Q. Wan & B. Yang</i>	255
<i>Nanomaterials</i>	
Effective properties prediction of Carbon Nanotubes reinforced nanomaterials <i>Y. Sha & C.H. Duan</i>	261
Ion-implanted Au nanoparticles for encoding information in light <i>C. Torres-Torres, R. Rangel-Rojo, R. Torres-Martinez, J.C. Cheang-Wong, A. Crespo-Sosa, L. Rodríguez-Fernández & A. Oliver</i>	265

Cooperative buckling of parallel nanowires on elastomeric substrates <i>Y.L. Chen, L.L. Zhu, Y.L. Liu & X. Chen</i>	271
Improvement of the field emission properties of post-annealed ZnO nanorod arrays by chemical bath deposition <i>Y.H. Huang, H.M. He, C.H. Lai, Y.M. Lee, W.S. Chen, C.H. Hsu & J.S. Lin</i>	277
Synthesis and structural characterization of a nanotube potassium titanate anode material for lithium-ion batteries <i>X.L. Ma & Y.J. Zhao</i>	281
The fabrication of the InP nanoporous structure and the optical property of sulfur-passivated InP <i>S.Z. Niu, D. Fang, J.L. Tang, H.M. Jia, X. Gao, R.X. Li, X. Fang, Z.P. Wei & F. Fang</i>	285
Photoluminescence analysis of ZnO microrods grown by the hydrothermal method <i>H.Q. Zhang, Y. Jin & L.Z. Hu</i>	291
<i>Composite and polymer materials</i>	
Study on the preparation and characteristics of HDPE/dialdehyde starch composites <i>X.Q. Liao & J. Zhu</i>	297
Effect of silicon on the microstructure and properties of Si _p /ZA40 composite materials <i>N.S. Xie, H. Liu & B.Z. Hu</i>	301
Preparation and mechanical properties of PP/morphology of CaCO ₃ composites <i>X.Q. Liao & J. Zhu</i>	305
Dynamic Mechanical Analysis of PP composites modified by CaCO ₃ with different morphologies <i>S. Yang, J. Luo & H.B. Chen</i>	309
Improving the toughness properties of CFRP composites by Aramid Nonwoven Fabric <i>W.M. Zhao & X.S. Yi</i>	315
Anisotropic thermal expansion behaviors of Al ₁₈ B ₄ O ₃₃ whisker-reinforced aluminum matrix composites <i>P.T. Zhao, C.Q. Liu, S.C. Xu, Z.M. Du, L.D. Wang & W.D. Fei</i>	321
Effect of SnO ₂ coating content on the microstructure of Al ₁₈ B ₄ O ₃₃ w/6061Al composite extruded at 350 °C <i>P.T. Zhao, C.Q. Liu, S.C. Xu, Z.M. Du, L.D. Wang & W.D. Fei</i>	327
Effect of an enclosed cage structure on the polymer chain characteristics of Ope-POSS/PU hybrid composites <i>R. Pan, L.L. Wang & Y. Liu</i>	333
Experimental and numerical study of single-sided scarf-repaired composite honeycomb sandwich structures <i>Z.W. Deng, Y. Yan & H.B. Luo</i>	337
Differences in influences of fumed silica and a kind of “cage-like silica” on properties of polydimethylsiloxane rubber based composites at low temperatures <i>Z.Q. Dong, Y.L. Zhu, M.P. He & J.Y. Pei</i>	343
Influence of Vacuum Ultraviolet radiation on the mass loss of polymer materials <i>Y. Wang, X. Guo, X.R. Wang, S.S. Yang & X.J. Wang</i>	349
<i>Bio and medical materials</i>	
The progress of vegetable oil-based lubricants <i>H. Wen, Y.G. Shi, G.Z. Fan, P.F. Xu, Y.X. Jiang, B. Su & H.F. Gong</i>	357
Numerical simulation and analysis of heat and mass transfer process in hot air drying of agricultural products <i>M. Wang & T. Lin</i>	361

The establishment of HPLC analysis method of 4-chloro-4'-fluorobutyrophenone <i>Y. Zhang, S.C. Zhao, H. Y. Qu, H. Zhao, H.X. Du, J.X. Yang, S.H. Mu & C. Zheng</i>	365
Study on the optimization of the fermentation process by lactic acid bacteria in jelly fish <i>H. Wang, S.S. Chen & Z.Z. Shi</i>	369
Experimental study on the biomechanical behavior of the expanding ring for treating glaucoma <i>Y.B. Cong, L. Y. Wang & H.Q. Yu</i>	377
<i>Functional and ceramic materials</i>	
Visible-light refraction going from negative to positive in Au/TiO ₂ /Au multilayered structures <i>Y. Zang, M. Sun & J.W. Chen</i>	385
Influence of the pore types of mesoporous SiO ₂ on material removal during CMP by molecular dynamics simulation <i>Y. Wang, R.L. Chen, H. Lei, R.R. Jiang & X.C. Lu</i>	389
Study on the tribological characteristics of Si ₃ N ₄ -hBN ceramic materials sliding against cast iron <i>W. Chen, X. Ai, D.Q. Gao & Z.L. Lv</i>	397
Analysis of packer rubber aging properties <i>J.N. Wang, J. You, J. Wang, L. Wang, L. Liu, Q. Liu, C. Zeng, W. Meng, L. Zhang & G.L. Zhu</i>	405
Colorimetric analysis of green jadeite <i>D.J. Nie, Y. Zou & X.K. Zhu</i>	411
Synthesis of AlON powders by the hydrothermal method following by SPS calcination <i>Q.H. Deng, Z.H. Ding, A. Yann, D.W. Shi, Z.J. Liu & Q. Huang</i>	415
<i>Environmental materials</i>	
Effective removal of copper (II) ions from the solution using the carbonization of Pomelo Peel as the adsorbent <i>J.H. Zhang, X. Ren, C.G. Zhao & J. Li</i>	423
Analysis of financial management environment in new materials enterprises <i>L. Yang</i>	427
Eco-friendly and cost-effective biodegradable films prepared via compounding polyester with thermoplastic starch <i>Y. Pan, H. Wang & H. Xiao</i>	431
Experimental study of direct flocculation for the oil removal of waste water in ship tanks <i>Z.M. Qin, J. Yu, J.H. Xie & B.H. Cai</i>	435
<i>Building material and interior design</i>	
Analysis on the methods and changes of the interior space design of express inns <i>T.T. Yu, Y.P. Wang & X.F. Sun</i>	443
Properties of plant-based asphalt cement-stabilized fine-grained soil <i>X.B. Zhang, H.T. Sun, Q.B. Zhu, W.D. Cao & S.T. Liu</i>	447
Influences of concrete mechanical properties when using zeolite powder as admixture <i>Q.W. Liu</i>	453
The effect of pH value on the measuring accuracy of the bundled chloride ion selective electrodes for concrete <i>Y. Jiang, Z. Chen, L.F. Yang & M. Zhou</i>	457
The effects of graphite on the mechanical and thermal properties of cement pastes <i>C. Huang, Q. Wang & P. Song</i>	463

Research on the preparation and properties of foamed cement with metakaolin <i>N. Li, Q. Wang & P. Song</i>	469
Deformation tracking method of asphalt mixture particles based on cross-calibration <i>H. Ying, Y. Liu, H. Chen, Q. Wu, X.X. Li & X.Y. Lu</i>	475
Discussion on the development and application of new environmental protection building materials <i>A. Wang & M.M. Li</i>	481
A new type of filter wall <i>H. Wen</i>	485
<i>Fiber material</i>	
Adsorption of Pb(II) from aqueous solutions by immobilized persimmon tannins on collagen fiber <i>H.-J. Liang, Z.-M. Wang, G.-Y. Li, C.-Y. Ma & P.-B. Dai</i>	491
Thermal stability of cotton cellulose modified with terbium complexes <i>Y.L. Yang, C.B. Guo & M. Gao</i>	497
Identification of textile fiber components using Thermo-Gravimetric Analysis <i>J. Luo, J.C. Hu & D.Y. Qi</i>	501
Effect of card taker-in speed on fiber length in flat strips <i>D.L. Shi, X. Guo & X.Z. Yu</i>	505
Inter-ONU backup fiber based protection for Passive Optical Network against multiple link failures <i>H.J. Tan, X. Guo, Q. Gao & Y.M. Xie</i>	511
A real-time current measuring system for fibers and textiles based on LabVIEW <i>G.P. Jia & C.M. Zeng</i>	517
Thermal degradation of cotton cellulose modified with magnesium complexes <i>X.J. Ren, H. Wang, C.G. Song & M. Gao</i>	523
Degumming and dissolving of <i>Antheraea yamamai</i> silk fibroin <i>M.J. Shi, Z.H. Zheng, Z.W. Luo, Y. Zhang & M.Z. Li</i>	527
Effects of fractured cell-walls on the creep of low density open-cell foams <i>Z.G. Fan</i>	533
BFRP-based FBG strain sensor <i>H. Y. Yu, Q. Wei, X.H. Qin, M. Wang & Y.D. Liu</i>	537
Thermogravimetric analysis on the combustion of hemicellulose, cellulose and lignin <i>L.K. Li, Y. Zhou, J.Y. Hwang, J.X. Liu, X.P. Mao, G.F. Zhou & J.P. Suo</i>	541
Dyeing of silk/nylon blend with heterobifunctional reactive dyes in one bath <i>M. Xiong & R.C. Tang</i>	547
<i>Mechanical property of materials</i>	
Moisture sorption isotherm and thermodynamic property of <i>Litopenaeus vannamei</i> <i>W.H. Cao, S. Tian & C.H. Zhang</i>	553
The effect of Carbon Black on dynamic mechanical properties of Nitrile Butadiene Rubber vulcanizates <i>L. Liu, B.G. Zhang, X.R. Xie, X. Geng, W. Li & Z.S. Chen</i>	561
Numerical simulation and lift loss assessment for a scaled S/VTOL aircraft proximity of the ground <i>S. Liu, Z.X. Wang & L. Zhou</i>	565

The synthesis of the amidosilane-based surfactants and the investigation of their surface tension	571
<i>X.L. Sun, F.L. Xing, Q. Xu, Y.P. Wang, X. Li & L. Y. Wang</i>	
Airflow analysis of the web cleaner with one fully closed end	575
<i>Y.P. Zhao, X.G. Han, P.Z. Sun & J. Ning</i>	
Research of different clamping modes on stretch forming twisted part	581
<i>Y.Y. Cheng, M.Z. Li & J. Xing</i>	
The influence of friction coefficient on forming results in Multi-Gripper Flexible Stretch Forming	585
<i>J. Xing, Y.Y. Cheng, M.Z. Li & Y. Wang</i>	
<i>Mechanical engineering and manufacturing technology</i>	
The influence of delay time on the dynamic characteristics of milling system	593
<i>B. Rong, W.F. Xu, Y.F. Yang & N. He</i>	
Research on the screw machine for the teaching aid	599
<i>F. Feng, J.G. Ling, J.M. Zhou, F.Q. Bai & R.Q. He</i>	
Research on the vibration-damping technology of some underwater vehicle	603
<i>K. Liu, X. Zhang, J. Sun, S.C. Ding & B. Y. Zhang</i>	
Research on the dynamic characteristics of hydraulic shock absorber	609
<i>X. Wang, P.B. Wu & D.X. Yang</i>	
The diagnosis of fuel injection quantity through the fuel pressure sensor of the common rail in diesel engines	615
<i>C.L. Xu, G.Z. Yue & Y. Lei</i>	
Novel friendly hydrophobic-associated hydrogel AM-co-AEO-AC: Particular behavior and extraordinary mechanical properties	619
<i>T.T. Gao, H. Huang, G. Gao & F.Q. Liu</i>	
Optimization design for the driving shaft of walking beam cooling bed transmission system	627
<i>W.Y. Yu & Y. Shang</i>	
The design and analysis of the whole drilling rig moved device	631
<i>H.B. Zhao, X.H. Shen & X.W. Sun</i>	
Effect of parameters on flying wing UAV buzz responses	635
<i>J. Xu & X.P. Ma</i>	
Determination method for rutting specimen cross-section deformation curve based on line-structured light	639
<i>H. Ying, Q. Wu, Y. Liu, H. Chen, W. Wang, H.J. Xu & J.Q. Gao</i>	
Virtual prototype simulation of a hybrid quad-rotor aircraft based on RecurDyn and Simulink	645
<i>G. Tong & X.J. Zhang</i>	
Experimental study on the micro-channel coil heat transfer performance of the current air-cooled scroll chiller	651
<i>Y.R. Zhou & P.J. Shang</i>	
Effects of the production process on the properties of inorganic non-metallic material	655
<i>F.Q. Zhang, X.T. Yue, L.N. Xu & Q.B. Tian</i>	
<i>Other engineering topics</i>	
Evacuation strategy and simulation study of urban rail transit emergencies	661
<i>L. Zhang & Y.B. Lv</i>	

Study on emergency evacuation strategies for unexpected large passenger flow in urban rail transit station <i>Q.W. Ye & Y.B. Lv</i>	665
Research on the evaluation and selection of the returned logistics operation model of iron and steel enterprise <i>M.N. Li & Y.B. Lv</i>	671
Research on the evaluation index system of the comprehensive competitiveness of coal mine projects under coal electricity joint operation conditions based on AHP <i>R.J. Ding & M. Li</i>	675
Double image encryption based on multiple-parameter fractional Fourier transform <i>F.S. Song, H.Y. Mao & X.B. Meng</i>	681
An information service model based on “Cloud plus Terminal” for agriculture extension <i>L.F. Guo & W.S. Wang</i>	685
The study of urban road intersection safety evaluation method based on the PPC model <i>Q. Zhou, Z.S. Yang & H.B. Zhang</i>	689
Author index	695